




# AZN

## FERTILIZER GROUP 2 | Reg. No. B3977 Act No. 36 of 1947

Free-living Nitrogen-fixing bacterium for improving soil fertility and composting activity Active ingredient:

Azotobacter chroococcum ... min. 1 x 108 CFUs per ml



**DIRECTIONS FOR USE:** USE ONLY AS INDICATED SHAKE BEFORE USE

TREATMENT	DOSAGE	COMMENT
Row Crops & Vegetables (In-Furrow)	1ℓ per hectare	Apply AZN™ in-furrow at planting.     Use a minimum application volume of 30 ℓ of water per hectare.     Use lower rates for low seeding rates or seedling stages and higher rates for high seeding rates or full grown stages.
Row Crops & Vegetables (Irrigation or Drenching)	1 to 2 ℓ per hectare	Apply AZN™ through drip irrigation, pivot or other irrigation systems.     Use lower rates for low seeding rates or seedling stages and higher rates for high seeding rates or full grown stages.

### COMPATIBILITY

Do NOT mix with any agrochemicals without consulting with your chemical distributor, registration holder or manufacturer.

# IMPORTANT NOTES

- · Contents may settle. Shake before use.
- Keep in a cool (4°C to 24°C) place.
- · Do not allow to freeze.
- · Store out of direct sunlight.
- . Do not use product after expiry date.

- WARNINGS AND PRECAUTIONS:

   Keep out of reach of children, uniformed persons and animals.

- May cause slight eye irritation.
  May cause allergic reactions in sensitive persons.
  Wash ands with soap and water before eating, drinking or smoking.
  Prevent contamination of food, feed, drinking water and eating utensils.
- Triple rinse and perforate empty container and do not use for any other

STORE IN A DRY PLACE BELOW 24°C & OUT OF DIRECT SUNLIGHT

Bioneer Biotechnologies t/a Sienna Bionatec MICROBIKA (Pty) Ltd Co. Reg. No: 2007/030420/07 Co. Reg. No: 2015/194786/07

Registered by: Manufactured by:

PO Box 290 Broederstroom 0240 RSA Tel: +27 18 632 0362 | Email: info@microbika.com Tel: 083 291 1705 | Email: info@siennabionatec.com 35 Eighth Avenue, Lichtenburg 2740 RSA

AZN Bottle Lable,indd 1 2021/07/13 1:29:36 PM

NET VOLUME

12

